

Index to the Engineering Design Manual

A

A Policy on Geometric Design of Highways and Streets 2001, II-7
AASHTO Design Procedure, II-2, II-3, II-4
AASHTO, I-15, I-25, II-1, II-2, II-3, II-4, II-6, II-9, II-10, II-18, II-19, II-20, II-29, II-61, II-62, III-3, III-7, IV-7, V-2
Abbreviations for street name suffixes, IV-2
Aboveground cabinets, II-38
AC pavement, II-52, II-55, II-60, II-61, II-64, II-67
AC surfacing, II-60, II-61
Access drives, II-20
Access requirements for publicly maintained storm water quality/quantity facilities and structures, III-4
Access to public streets, I-19
Accessibility for the disabled, II-51
ACI, I-5, I-15, I-25, II-4, II-6, II-68
ADA requirements, I-32, II-17, II-29, II-38, II-62
Additional panel removal, II-56
Additional submittal requirements, II-45
Aerial photography, I-9, I-14
Aggregate base, II-1
Air evacuation, VI-4
Air pollution control, I-38
Air-Vac, VI-4
Alkyd hot thermoplastic, IV-5
ALTA, I-10
American Association of State Highway and Transportation Officials, II-7, II-9, II-10, VII-1
Americans with Disabilities Act of 1990, I-5, II-16
An Information Guide for Street Lighting, IV-7
Appeal of requested modification, I-27
APWA, I-5, I-7, I-21, I-26, I-42, II-2, II-3
Arterials, I-19, II-8, II-14, IV-7
As-built drawings, I-17, I-18, I-24, II-49, II-50, I-17, I-23
ASCE, I-5
Asphaltic concrete, I-31, II-1, II-2, II-16, II-42, III-3, V-2
Asphalt Institute, II-2, II-3, II-4

Asphalt overlay, II-4
ASTM, I-5, II-5, II-63, II-68
At-grade enclosures, II-38
Average Daily Traffic, I-15
Average foot candles, IV-7
Average maintained illuminance, IV-7
Average uniformity of lighting, IV-7
AWWA, I-5, VI-2, VI-5, VI-6, VI-8, VI-9

B

Backfill material, II-60, III-2, V-2, VI-6, VI-16, II-60
Backflow, VI-4, VI-12, VI-14, VI-15, VI-17
Base flood elevations, I-13
Base mapping, I-23
Beaverton Code, I-1, I-4, I-5, I-6, I-8, I-13, I-14, I-27, II-45, II-47, II-49, III-1, VI-1, VI-3, VI-12, VI-13, VI-15
Beaverton Comprehensive Plan, I-19
Direction of laying, VI-6
Bicycle and pedestrian facilities, VII-1
Bicycle lanes, VII-5
Bicycle parking, VII-6, VII-7, VII-8
Bicycleways, IV-7
Bike lane, IV-5, VII-5
Bikeways distant from roadways, IV-7
Bikeways, I-8
Blind flanges, VI-9
Blowoffs, VI-5
Booster pumps, VI-4
Bridge Design Manual and Accompanying Standard Drawings, I-25
Bridges, II-5, VII-4
Buffer strips, I-12
Buried structures, I-10

C

Cable and wire, IV-9
Cable installation, IV-9
Castings, II-62
Catch basins, I-11, I-32, II-18, II-62, III-3, III-4
CBR, II-3, II-4

Index to the Engineering Design Manual

- Central Business District (CBD), II-56
- Certificates of occupancy, I-17
- Changes in pipe cross-sectional, III-2, V-3
- Chemical injection, VI-14
- Chlorine, VI-10
- Chlorine-Water Concentration Chart, VI-10
- Chokers, VI-7
- Circuits, IV-9
- Circular cuts in AC pavement, II-58
- City bench marks, I-11
- City Council appeal periods, I-3
- City Site Development Services Engineer, I-30
- City engineering plan review, I-3
- City inspection services, I-29
- City inspector's activities, I-29
- City Operations Director, IV-9
- City Project Inspector, I-32
- City request for additional resurfacing, II-62
- City Senior Engineer, I-3, I-16
- City Standard Drawings, I-8, I-16, VI-1, VI-4, VI-12, VI-17, VIII-1
- City Traffic Engineer, II-7, II-8, II-9, II-10, II-11, II-12, II-13, II-14, II-16, II-19, IV-4, IV-5
- City utility facilities, II-38
- City Water Division, I-8, VI-18
- City-initiated modifications, I-27
- Civil infraction, I-6
- Clean Water Services, I-3, I-4, I-5, I-13, I-39, III-1, V-1, V-3
- Clean Water Services' *Erosion Prevention and Sediment Control Planning and Design Manual*, I-13
- Cleaning pipe and fittings, VI-6
- Cleanup during construction, I-35
- Collectors, I-19, II-8, II-14, II-15, IV-7
- Commercial buildings, VI-2
- Commercial laundries, VI-14
- Common driveways, II-19
- Compacted thickness, II-59, II-60, II-61, II-66
- Composite utility plan, I-8
- Compressive strength of cylindrical concrete specimens, II-6
- Concrete, PCC, I-25, I-26, II-4, II-5, II-6
- Concrete testing, II-6
- Conditions of approval, I-5
- Conditions of land use approval, I-3
- Conduit and enclosure construction, II-37
- Conduit, II-37, IV-8
- Construction cost estimate, I-3
- Construction operations, II-40
- Consultation with adjacent property owners, II-39
- Contiguous street cuts, II-54
- Contractor Mix Design Guidelines for Asphalt Concrete*, II-3
- Control for plats, I-23
- Controlled density fill (CDF), II-60, II-67
- Coordinate system, I-23, I-24
- Coordination of trench conduit and enclosure construction, II-37
- Copper wiring, IV-9
- Correction of defective work, II-63
- Correction of excessive leakage, VI-9
- Corrective AC pavement inlays, II-64
- Corrective inlay requirements, II-65
- County Surveyor, I-10, I-21, I-22, I-23
- Covered bicycle parking spaces, VII-8
- Creating Livable Streets: Street Design for 2040*, I-19
- Crest and sag vertical curves, II-9
- Cross connection control, VI-12
- Cross-bar, II-16
- Cross-connection, I-11
- Crossings, I-37
- Cross-slope, II-15
- Crown lines, I-11
- Cul-de-sacs, I-12, II-13, VI-5
- Cultivated vegetation, I-10
- Curb faces, I-10
- Curb radii, II-12
- Curb ramps, I-5
- Curb returns, I-10, I-11, I-12
- Curb-and-Gutter, II-55, II-62
- Curbs, I-32, II-12, II-15, II-55, II-57
- Cut enlarged by city, II-57
- Cutting methods, II-55, II-58

Index to the Engineering Design Manual

Cutting pipe, VI-6

D

Damage to adjacent panels, II-57
Damaged adjacent pavement, II-59
Damaged and disassembled utility facilities, II-44
Dead end mains, VI-1
Decking boards, VII-4
Defective restored AC pavement, II-63
Defective restored PCC pavement, II-63
Delineators, II-18, II-19
Depth measurement of concrete pavement, II-6
Design and Construction Standards, I-5, I-42, II-25, III-1, III-5, III-6, V-1
Design and installation requirements, IV-3
Design considerations, II-4
Design controls, II-9
Design criteria, I-25
Design drawing requirements, IV-3
Design Hourly Volume, I-15
Design joint plan, II-5
Design life of improvements, I-5
Design Modifications, I-26, II-34, II-51, II-53
Design plan format, I-7
Design plans, I-6, I-9
Design speed, I-15, I-19, I-20, II-7, II-10, II-18, II-19
Detail sheet, I-16
Deteriorated pavement, II-53
Development Code, I-1, I-4, I-5, I-7, I-10, I-19, II-19, II-26, II-36, II-37, III-1, VII-6
Diagonal cuts, II-56
Direction of cuts, II-57
Disposal of sterilizing water, VI-11
Disruptions of utility services, I-34
Distributing pipe, VI-6
Domestic services, VI-17
Donation land claim corners, I-11
Double check assembly, VI-14
Double detector check assembly, VI-14
Downtime protection, VI-8

Drain fields, I-10
Drainage calculations, I-15, I-6, I-15
Drainage facilities, I-13, I-20, I-35, III-1
Drainage reports, III-7
Drainage ways, I-12, I-43, II-8
Drainage, I-15, II-48, III-7
Dressing cut ends, VI-6
Driveway construction, I-1
Driveways, II-14
Dry cleaners, VI-14
Dust prevention, I-36

E

Easements, I-10, I-20, I-21, VII-1
Electric lines, II-33
Emergency excavations, II-58
Emergency repairs, II-31
Emergency vehicle preemption (EVP), IV-4
Engineer of Record, I-3, I-28, I-30, I-43, II-3, II-68, II-52, II-68, VI-3
Environmental protection, I-37, I-41
Erosion control, I-1, I-4, I-6, I-8, I-13, I-14, I-17, I-36, I-39, I-40, II-41
Erosion Prevention and Sediment Control Planning and Design Manual, I-17
Exemption criteria, I-28
Existing survey monuments, I-21
Exploratory excavation, II-26, II-32, II-53, II-56
Extension of a deadline, I-34
Extruders, IV-5
Eyebrows, II-13

F

Facilities Permit, I-4, I-6, I-7, I-18, II-21, II-22, II-24, II-25, II-26, II-46, II-48
Fastening, IV-2
FEMA, I-12
Fibermesh, II-61
Field wire testing, IV-4
Final pavement cuts, II-60
Fire Marshal, I-4, I-10, I-38, VI-1, VI-2, VI-3, VI-18
Fire services, VI-17

Index to the Engineering Design Manual

Fire system, VI-14
Fish and wildlife habitat preservation, I-40
Flanged cast iron fittings, VI-5
Flexible base, II-60
Flowable fill, II-68
Flushing, VI-10
Foil back tape, IV-5
Franchise agreements, I-5, II-44
Freeways, II-8
Fuel tanks, I-10
Full-depth AC pavement on compacted subgrade, II-61
Full-depth PCC pavement, II-61
Fumes, I-38
Fundamentals of Traffic Engineering, IV-7

G

Gas stations, VI-14
Gaskets, VI-5
General design requirements, I-1
Geotech report, I-16
Global Positioning System, I-22, I-23, II-50
Grading, I-4, I-6, I-8, I-13, I-14, II-8, II-15, VII-2, VII-3
Graphic Profile Index, II-6
Green Streets Innovative: Solutions for Stormwater and Street Crossings, I-19
Guide for Development of Bicycle Facilities, VII-1
Gutter flow lines, I-12
Guy wires, II-33

H

Handling material, VI-6
High groundwater, II-53
Historical and archaeological areas, I-42
HMAC, II-2
Horizontal alignment, II-6
Horizontal curves, VII-1
Horizontal limits, II-10
Horizontal separations, II-27
Hospitals, VI-14
Hot mix asphalt concrete, II-2

Hydrants, VI-1, VI-2, VI-3, VI-11
Hydraulic cement concrete, II-6
Hydrostatic test of newly installed waterline, VI-8

I

Inclement weather, I-28, II-40, II-43, II-59
Inside drop manholes, III-2, V-1
Inspecting Engineer's activities, I-30
Installation of mechanical joint pipe, VI-6
Institute of Transportation Engineers, IV-7
Institutional illuminance levels, IV-7
Interferences, I-36
Intersection sight distance policy, II-9
Intersection spacing along streets, II-13
Intersections, II-11, II-12, VII-3
Invasive construction activities, I-10
Invert and top elevations, I-13
Isolation of existing systems prior to testing, VI-9

J

Jackhammers, II-57
Jacks, VI-7
Joining push-on joint pipe and mechanical joint fittings, VI-7
Joint Design for Concrete Highway and Street Pavements in Existing Public Rights of Way, II-4
Joint occupancy, II-37
Joint trenching, II-38
Joints in permanent AC resurfacing, II-62
Junction boxes, IV-12

K

King County Hydrograph, III-6

L

Land use approval, I-3, I-4
Landscaping, VII-2
Leakage, VI-9
LED, IV-4

Index to the Engineering Design Manual

Legends, IV-5
Letter spacing, IV-2
Lift stations, VI-14
Lighting fixtures, IV-10
Lighting levels, IV-7
Lighting, IV-7, IV-8, IV-10, IV-11, IV-12, VII-4
Limitations of City inspection services, I-29
Line drilling, II-57
Liquid chlorine gas-water, VI-10
Load and Resistance Factor Design (LRFD) Bridge Specifications, I-25
Local streets, II-7, II-8
Longitudinal grade, II-8, II-21
Longitudinal joints, II-5, VII-2

M

Maintenance access, III-3, III-5, V-2, V-3
Maintenance period, I-33
Maintenance vehicle, III-4
Major roadway structures, II-18
Management Practices for the Disposal of Chlorinated Water, VI-3
Manhole barrels, III-3, V-1
Manual of Field Test Procedures, I-25, II-6
Maximum deflection permitted, VI-7
Maximum grade, III-3, V-2
Mechanical couplings, VI-5
Mechanical joint fittings, VI-5, VI-7
Medical centers, VI-14
Medium-density overlay, IV-2
Meter cabinets, II-33
Meter size, VI-4, VI-17
Metric standards, I-28
Minimum average illuminance maintained in foot candles, IV-7
Minimum design life, I-5, I-17
Minimum reflectivity, IV-6
Minimum road width standards, I-19
Minimum standard depths, II-27
Mixed-use, IV-7
Modification criteria, I-27

Modification process for specific projects, I-26
Molded Plug, IV-8
Monumentation, I-23
Monuments, center line, I-11, I-12, I-22, II-6, II-7
Mortuaries, VI-14
Multi-story buildings, VI-14
MUTCD, I-32, IV-1, IV-3, IV-4, VII-3

N

Narrow trenches, II-60
National Electric Code (NEC), IV-6, IV-8, IV-9, VI-16, VI-18
National security, I-28
Natural disaster, I-28
Natural Historical Preservation Act, I-42
Natural vegetation, I-42
Neighborhood routes, I-19, II-8, II-14, IV-7
NEMA, IV-11
New survey monuments, I-22
Noise, construction, I-40, I-41, I-42, II-37
Noise, utility facilities operation and maintenance, II-38
Noise from steel plates, II-39
Non-commercial buildings, VI-2
Notice to excavators, I-7
Notification of adjacent property owners and tenants, II-39
Number of lanes, I-19
Nursing homes, VI-14

O

Obstructions, I-36
Odors, I-38
ODOT, I-5, I-7, I-15, I-25, I-26, II-2, II-3, II-4, II-6, II-18, II-61, IV-1, IV-3
ODOT Pavement Design Guide, I-5, II-2, II-4
Ongoing site maintenance, I-35
On-street facilities, VII-5
Option 'A' Lighting, IV-7
Option 'B' Lighting, IV-8

Index to the Engineering Design Manual

Option 'C' Lighting, IV-8
Oregon Electrical Specialty Code, IV-3, IV-6
Oregon Standard Specifications for Construction and Oregon Standard Drawings, I-7, I-25, II-3, II-4, II-6, II-63, II-68, III-2, III-2, IV-3, IV-5, V-2
Oregon State Department of Environmental Quality, V-1
Oregon State Highway Division, II-1, II-3
ORS, I-21, I-22, I-40, II-46
OSHA, I-8, I-32, III-2, V-1, VI-16
OSHD, II-1, II-2, II-3
Overhead appurtenances, II-33
Overhead utility lines, II-33
Overhead street name signs, IV-2

P

Parking lots, I-1, I-4, I-5, I-29, II-19
Partial panel replacement, II-56
Patches, II-56, II-58, II-59
Pavement marking material, IV-5
Pavement replacement on edges of panels without curbs, II-57
Pavement restoration after T-cuts, II-60
Pavement structure, VII-2
Pavement surface, IV-6
Pavements, II-3
PCC concrete pavement, II-55
Pedestrian crosswalks, I-5
Pedestrian overpasses, IV-7
Pedestrian stairways, IV-7
Pedestrian tunnels, IV-7
Pedestrian, IV-4, IV-7
Performance security, I-3
Permissible deflection of joints, VI-7
PGE, IV-6, IV-7, IV-8
Photocell circuit wires, IV-9
Pile driving, I-10, I-41
Pipe fittings, VI-5
Pipe,
 (storm drainage) III-1, III-2, III-3, III-5,
 (sanitary sewer) V-1, V-2, V-3,
 (water) VI-5, VI-7, VI-10
Pipeline installation, VI-5
Placing of the pipe in the trench, VI-6
Plan approval, I-17
Plan view, I-9, II-47
Plumbing inspector, VI-13
Plywood, IV-1
Point of application, VI-11
Pole access, IV-10
Poles, II-10, II-11, IV-10
Pollution control, III-2
Polyplate, IV-1
Poor soils, II-53
Portland cement concrete, II-1, II-6, IV-6
Portland cement concrete pavement, II-4
Post mounted street name signs, IV-2
Posted speed, II-10, IV-3
Posts, IV-1
Pot-holing, II-24, II-26, II-32
Power supplies, II-33, II-36
Precedence of documents, I-5
Preservation, I-33, I-42
Pressure reducing valve vaults, VI-18
Private sanitary sewer, V-2
Private streets, I-5, II-19, II-21, III-4, IV-7
Private utility lines, II-26
Privately funded site improvements, I-29
Privately-funded inspection services, I-29
Professional Land Surveyor, I-22
Profile view, I-12
Progress of construction, I-33
Prohibited street cuts, II-52
Project sign, II-39
Project-specific modifications, I-27
PROMS, IV-4
Property dedication, VII-5
Protecting property, I-36
Public improvements, I-1
Public nuisance, I-6
Public rights-of-way, I-1, I-4, I-6, I-22, I-24, I-27, II-9, II-10, II-21, II-23, II-24, II-25, II-29, II-33, II-34, II-36, II-37, II-38, II-40, II-41, II-43, II-44, II-45, III-1, III-4, V-3, VI-16, VII-6

Index to the Engineering Design Manual

Public safety, I-28, II-51
Publicly maintained ponds, swales, and
other vegetated areas, III-7
Push-on joint, VI-7
Pushbutton circuit protector, IV-11

Q

Quarter corners, I-11

R

Railroad crossings, I-37
Railroad rights-of-way, I-37
Raised median, II-17
Raised pavement markers, IV-5
Rectangular street cuts, II-60
Re-cutting unsatisfactory cut edges, II-58
Reduced pressure backflow assembly, VI-14
Reflective glass beads, IV-6
Reflective or non-reflective sheeting
application, IV-2
Relocation of utility facilities, II-44
Replacement of existing driveways, II-62
Replacement to proper grade and cross-
section, II-62
Requested modification, I-26
Requests for exemptions, II-51
Residential lots, II-35, III-4
Residential streets, IV-10
Restaurants, VI-14
Retail stores, VI-14
Retaining walls, I-25, I-26, I-8, I-25, II-15,
II-18, III-5, VI-2
Retention period, VI-11
Review of requested modification, I-26
Review procedure, I-16
Right-of-Way Permit, I-4, I-6, II-22, II-23,
II-25, II-39, II-45, II-46, II-48, II-49
Roadside Design Guide, I-25
Roadway classification, IV-7
Root zones, I-11
Rubber-seated butterfly valves, VI-2

S

Safety requirements, I-32
Sampling station, VI-12
Sanitary Sewer System Facilities Plan, V-1
Sanitary sewer system, V-1
Saturated soils, II-53
Saw cutting, II-5, II-57
Scheduling, I-33
Section corners, I-11
Security for performance and maintenance,
II-45
Septic tanks, I-10
Sequence of operations, I-33
Service provider letter, I-3
Sewage pump, VI-14
Shared roadway, VII-5
Shared-use paths, VII-1
Sheet legend, I-7
Sheeting, IV-1
Shopping centers, VI-14
Shoulders, II-15
Site Development Division, I-10, I-30, VI-4
Sidewalk cuts, II-58
Sidewalk ramp, I-11, I-32, II-16, II-62,
II-67, II-16
Sidewalks, II-16, II-55, II-62
Sight clearance, II-10, II-11
Sight distance, II-9, VII-2, VII-3
Signal heads, II-33
Signing and marking, VII-3
Site Development Division, I-30
Site Development Ordinance, II-21, II-22,
II-23, II-45, II-49
Site Development Permit, I-3, I-14, I-16,
I-20, I-28, I-3, I-4, I-6, I-16, I-28, I-37,
II-21, II-22, II-23, II-24, II-25, II-39, II-43,
II-45, II-46, II-48, II-49, VI-12, VI-13,
VII-5
Site development plans, I-7
Site grading plan, I-13
Site grading, I-1, I-4, I-10, I-13, I-17, I-29,
II-48, III-5
Slope(s), I-4, I-12, I-13, I-14, I-17, I-20,
I-37, I-39, II-7, II-8, II-15, II-18, II-62,
III-3, III-4, III-5, V-2, VI-6, VII-2, VII-3

Index to the Engineering Design Manual

- Smoke, I-38
 - Soil testing, II-1
 - Soil-disturbing construction activity, I-13
 - Soils engineer, I-4, I-14, I-17
 - Sound walls, I-8
 - Span wires, II-33
 - Special requirements for fire service, VI-18
 - Sprayers, IV-5
 - Standard drafting symbols, I-9
 - Standard Drawings, VIII-1
 - Standard General Notes, I-7
 - Standard Specifications for Highway Construction*, IV-3
 - Standard Specifications for Micro Computer Signal Controller*, IV-3
 - Standards for Low-Speed Urban Streets*, II-7
 - Stationing, I-11, I-12
 - Sterilization of newly installed waterline, VI-9
 - Sterilizing mixture, VI-10
 - Stockpiling, I-35
 - Storm detention, III-6
 - Storm Drainage System Facility Plan*, III-1
 - Storm drainage, I-15, III-1
 - Storm sewers, I-5, III-2
 - Stormwater design elements, III-4
 - Stormwater facilities, III-4, V-3
 - Stormwater quality standards, III-6
 - Stormwater Quality/Quantity Facilities (Pond), III-4
 - Stormwater quantity standards, III-6
 - Stream and creek crossings, I-36
 - Street center lines, I-10
 - Street classification, I-15
 - Street cleanup, I-35
 - Street cuts, II-53
 - Street design, I-19, II-1
 - Street grades, I-11
 - Street illumination, IV-1, IV-6
 - Street improvements, II-26
 - Street inlets, I-11, I-32
 - Street intersection monument boxes, I-12
 - Street light poles, II-33, IV-6
 - Street lighting, I-8, II-17
 - Street name sign details, IV-3
 - Street name signs, IV-2
 - Structural concrete (in PCC pavement design), II-4
 - Structural failure of and damage to restored PCC pavement, II-58
 - Structural loading, I-10
 - Stub streets, I-12, II-19
 - Subdivision name, I-10
 - Subgrade elevation, II-1
 - Submittal requirements, I-6, II-21
 - Substitution of products, I-32
 - Subsurface drainage, II-18
 - Super-elevation cross-sections, II-19
 - Super-elevation, I-12, I-15, II-7
 - Supplemental written agreements, I-5
 - Surface mounted connection boxes, II-33
 - Surface mounted transformers, II-33
 - Surface smoothness, II-63
 - Surface water quality, I-40
 - Surge suppressors, II-33, II-36
 - Survey control points, I-9, I-18
 - Survey monuments, I-11, I-12, I-21
 - Surveying, I-21
 - Symbols, I-9, IV-2, IV-4, IV-5
 - System connection permits, I-3
- ## T
- Tap/splitters, II-33, II-36
 - Tapping, VI-12
 - T-cut lines, II-54
 - Tee intersections, II-16
 - Telephone pedestals, II-33
 - Television scans, III-5
 - Temporary markings, IV-5
 - Temporary pavement patching and steel plating, II-58
 - Temporary utility service facilities, II-33
 - Testing of PCC concrete, I-26
 - Thickness Designs for Concrete Highway and Street Pavements*, II-4
 - T-intersections, IV-2
 - Title block, I-9

Index to the Engineering Design Manual

Title block, VIII-1
Top of curb, I-12
Topographic information, I-9, I-14
Topographic maps, I-9, I-14
Topsoil, III-5, III-7
Traffic Control Plan, I-32
Traffic controller, IV-4
Traffic devices, IV-1
Traffic signal control program, IV-4
Traffic signal installations, I-9
Traffic signal poles, II-33
Traffic signals, IV-3
Traffic signs, IV-1
Traffic speed, I-20, II-10
Traffic striping and marking, IV-4
Transitions, II-18
Transverse joints, II-5, II-57
Transverse markings, IV-5
Trees, I-10, I-11, I-42, VII-2
Trenching and street cuts, II-52
Trenching, II-52
Turnarounds, II-13
Type-III light distribution, IV-11
Types of backflow prevention assemblies, VI-13
Typical pavement sections and jointing details, II-4
U
UBC, I-15, I-25, VI-18
Unauthorized disturbance, I-34
Underground utilities, I-8, I-22, I-36
Undisturbed corridors, I-12
Uniform Building Code, I-5, I-14, I-25
Uniform Fire Code, VI-2, VI-3
Uniform Plumbing Code, VI-13, VI-14, VI-16, VI-18
Uniform Plumbing Specialty Code, VI-4
Unstable subgrade conditions, II-55
Unsuitable conditions for laying pipe, VI-7
Use of pesticides, I-43
USGS Quadrangle Maps, I-9, I-14
Utilities and other work in a public right-of-way, II-21

Utility facilities operation and maintenance, II-38
Utility facilities, I-1, I-10, I-14, I-28, I-34, II-21, II-22, II-23, II-25, II-26, II-27, II-28, II-29, II-30, II-31, II-33, II-34, II-35, II-36, II-37, II-38, II-40, II-44, II-47, II-48, II-49, II-50, II-50, II-II-51, II-52
Utility poles, II-33, II-42, II-47

V

Vacuum prevention valves, VI-4
Valve boxes, VI-2
Valves, VI-1, VI-2, VI-11
Vee-notch, III-6
Vegetated swales, III-5
Vehicle traffic restrictions, VII-4
Vertical alignment, II-7
vertical curve data, I-12
Vertical separations, II-27
Vertical standard, I-19, II-8, II-13, II-14
Vicinity map, I-7
Violations, I-6
Visibility at intersections, II-10

W

W4IKS, IV-4
Water, I-25, I-39, III-2
Water Distribution Supervisor, VI-4
Water meter vaults, VI-17
Water pipes, VI-5
Water system, VI-1, VI-3, VI-16, VI-18
Water system design, VI-1
Water System Facility Plan, VI-3
Water system vault installations, VI-16
Weak pavement, II-53
Work hours, I-28